



LIPOIC ACID (VITAMIN N)

M.U.Djalilov


Самарқанд давлат тиббиёт университети

mustafoevakmal@gmail.com

Annotatsiya: *Lipoic acid, entering the tissues, binds covalently to the NH₂ group of lysine of the active site of the apoenzymes of "lipoic" enzymes. These include multi-enzyme complexes that carry out keto acid reactions.*


Keywords: *Metabolism, Biological role, HS-CoA and NAD⁺, lipoacetyltransferase, lipoacetyltransferase*

Sources of lipoic acid are yeast, meat products, and milk. In the 1950s, lactic acid bacteria growth factor was isolated from yeast and liver tissue, which is not related to any of the known vitamins; some species of streptococci also needed it as a growth factor. In crystalline form, this factor was identified with α-lipoic acid (1,2-dithiolan-3-valeric):



Rice. H. Diagram of the redox reaction of lipoic acid

As you can see from these formulas, lipoic acid can exist



Thanks to which its coenzyme functions are realized

Metabolism. Lipoic acid, entering the tissues, binds covalently to the NH₂ group of lysine of the active site of the apoenzymes of "lipoic" enzymes. These include multi-enzyme complexes that carry out keto acid reactions.

Biological role. Lipoic acid plays the role of a prosthetic group along with thiamine pyrophosphate and HS-CoA in a complex multienzyme pyruvate and α -ketoglutarate-dehydrogenase systems


Pyruvate dehydrogenase multienzyme complex has a complex structure, its molecular weight is $5.3 \cdot 10^6$ Yes, it includes enzyme and cofactors:

- the first enzyme, pyruvate decarboxylase (K.F.1.2.4.1.) consists of 12 dimeric molecules, each of which has 2 molecules of thiamine pyrophosphate attached, which act as coenzymes;
- the second enzyme is lipoacetyltransferase (K.F.2.3.1.12.), the enzyme is concentrated in the central part of the B complex in the form of 24 molecules packed in the shape of a cube, each B molecule as a prosthetic group contains a lipoic acid residue connected to the apoenzyme via ϵ -aminogrupe lysine; This compound provides lipoic acid with motility as part of a multienzyme complex and contact with pyruvate decarboxylase and dihydrolipoyl dehydrogenase;
- the third enzyme is dihydrolipoyl dehydrogenase (K.F.1.8.1.4.), the enzyme consists of 6 dimeric molecules containing 2 molecules of FAD as a coenzyme
- In addition to the listed enzymes and their cofactors, the complex includes two external coenzymes: HS-CoA and NAD⁺



The spatial organization of the components of the complex is very important for catalysis. Lipoic acid, due to its specific structure, is very mobile and is capable of forming a bond with the lysine residue of the second enzyme (lipoacetyltransferase). In the process of catalysis, the "handle" of lipoamide moves between the first (lipoacetyltransferase) and the third (dihydrolipoyl dehydrogenase) enzyme. In this way, lipoamide can react both in the B-bound thiamine pyrophosphate and soluble coenzyme A, as well as with the electron-accepting FAD in the third enzyme. The protein part of acetyltransferase, which binds lipoic acid, is very mobile, and this increases the "range" of action of the lipoamide "pen".

The general equation of oxidative decarboxylation of pyruvate is as follows:



α -ketoglutarate dehydrogenase complex is similar to pyruvate dehydrogenase in mechanism of action and structure, but differs in the structure of apoenzymes.

Lipoic acid plays an indispensable role in the oxidation and transport of acyl groups in multicomponent enzyme systems. Its main function is direct participation in oxidative decarboxylation in tissues of α -keto acids (pyruvic and α -ketoglutaric acids).

References

1. Vitamins and minerals (a complete handbook for doctors), comp. Emelyanova T. P., St. Petersburg, Ves' Publ., 2001, 566 p.
Kohlman Y" Rem K.-G. Illustrative Biochemistry, Moscow, Mir Publ., 2000, pp. 108-111,
2. Med Jalilov MUSTAFO domlo, [15.10.2024 16:05]



Azim, B., Mustafo, D., Dusmurat, E., Saodat, Y., Oksana, K., & Karokul, S. (2021). The state of free-radical oxidation of lipids in experimental myocardial infarction in rats. *European Journal of Molecular & Clinical Medicine*, 8(3), 816-820.

3. Med Jalilov MUSTAFO domlo, [15.10.2024 16:05]

Asatullo ug'li T. D., Uzakovich J. M., Kenjayevich B. A. Study of Changes in Calciferol in Eggs in Depending on the Season of the Year //Middle European Scientific Bulletin. – 2022. – Т. 24. – С. 310-314.

4. Med Jalilov MUSTAFO domlo, [15.10.2024 16:06]

Мустафоев А. И. и др. Влияние нагрева на фазовые превращения в геомодификаторе трения на основе слоистого серпентина //AGRO ILM» журналы. – Т. 4. – С. 97-99.

5. Med Jalilov MUSTAFO domlo, [15.10.2024 16:07]

Kenjayevich, B. A., Tashanovich, S. K., Uzokovich, D. M., & Sayfiyevna, Y. S. (2022). Changes of basic intermediates in blood in myocardial infarction. *Journal of Positive School Psychology*, 1775-1781.

6. Med Jalilov MUSTAFO domlo, [15.10.2024 16:08]

Мукумов И. У. и др. Распространение рода Шренкия во флоре Узбекистана //Вестник современных исследований. – 2019. – №. 5.2. – С. 25-27.

7. Med Jalilov MUSTAFO domlo, [15.10.2024 16:08]

Мустафоев А. И. и др. КУМУШКОН СЕРПЕНТИНИНИНГ КАТТА ҚУЁШ ПЕЧИГА АСОСЛАНГАН ТАДҚИҚОТЛАРИ //SCHOLAR. – 2023. – Т. 1. – №. 3. – С. 98-103.

8. Med Jalilov MUSTAFO domlo, [15.10.2024 16:09]

Мустафоев А. И. и др. КУМУШКОН СЕРПЕНТИНИНИНГ КАТТА ҚУЁШ ПЕЧИГА АСОСЛАНГАН ТАДҚИҚОТЛАРИ //SCHOLAR. – 2023. – Т. 1. – №. 3. – С. 98-103.

9. Med Jalilov MUSTAFO domlo, [15.10.2024 16:10]



Мустафоев А. И., Мустафоева МО Д. М. У. КАТТА ҚУЁШ ҚУРИЛМАСИ АСОСИДА ТАЙЁРЛАНАДИГАН МАҲАЛЛИЙ ХОМ-АШЁЛАРГА АСОСЛАНГАН КЕРАМИК МАТЕРИАЛЛАРИНИНГ БАРҚАРОРЛАШТИРИШ ЖАРАЁНЛАРИ //Innovative Development in Educational Activities. – 2023. – Т. 2. – №. 9. – С. 153-158.

10. Med Jalilov MUSTAFO domlo, [15.10.2024 16:10]

Джалилов М. У. VITAMIN PREPARATIONS USED IN MEDICINE //Journal of new century innovations. – 2024. – Т. 54. – №. 5. – С. 156-158.

11. Med Jalilov MUSTAFO domlo, [15.10.2024 16:11]

Джалилов М. У. COBAMIDE COENZYMES. COBALAMINS (VITAMIN B12) //Journal of new century innovations. – 2024. – Т. 54. – №. 5. – С. 153-155.

12. Med Jalilov MUSTAFO domlo, [15.10.2024 16:11]

Schneider Z. Chemistry of cobalamin and related compounds //Comprehensive B12. – 1987. – С. 17-86.

13. Med Jalilov MUSTAFO domlo, [15.10.2024 16:12]

Джалилов М. У. и др. ПРИГОТОВЛЕНИЕ СТАНДАРТНЫХ ПАРОГАЗОВЫХ СМЕСЕЙ //Химия, физика, биология, математика: теоретические и прикладные исследования. – 2023. – С. 24-32. Ташанов О. С.,

14. Саветов К. Т. ЛЕКАРСТВЕННЫЕ РАСТЕНИЯ, ИСПОЛЬЗУЕМЫЕ В КАЧЕСТВЕ СРЕДСТВ ДЛЯ ЛЕЧЕНИЯ СЛИЗИСТОЙ ОБОЛОЧКИ РТА //Research and Publications. – 2023. – Т. 1. – №. 1. – С. 42-45.