

**TYPES AND CHARACTERISTICS OF ADDITIVES WHEN STUDYING
GYPSUM COMPOSITE MATERIALS AND MONUMENTS**

Abduraxmanov Ulug‘bek Arabdjon o‘g‘li

Fergana Polytechnic Institute, Senior teacher

u.abduraxmonov@ferpi.uz (ORCID 0000-0001-9502-9380),

Tel. +998916721007

Solijonov Foziljon Sodiqjon ugli

Fergana Polytechnic Institute, assistant

f.s.solijonov@ferpi.uz, (ORCID 0000-0003-4627-7905),

Tel. +998905897038

Azamjonov Asadbek Tursunali o‘g‘li,

Fergana Polytechnic Institute, assistant

a.azamjonov@ferpi.uz

Tel. +998904059792

Ass. Xamitov Rasuljon Xasanjon o‘g‘li,

Farg‘ona politexnika instituti, Assistant

rasuljon3245@gmail.com(ORCID 0009-0002-8891-4722)¹

Tel: +998916315404

Baxromov Maxmud Mamatxanovich

baxromovmahmud393@gmail.com

Tel: +998912064737

Fergana Polytechnic Institute

Akhmedov Tolqin

Fergana Polytechnic Institute,

ahmedovtolqin55@gmail.com

Annotation. *In this article, the additives and their properties, which are necessary for the research of composite materials that can be used in architectural monuments, are thoroughly analyzed.*

Key words: *Granulated, gypsum, fibers, solution flowing, FERM NANOGYPSUM, gypsum concrete samples.*

Enter: Mineral wool is a vitreous fiber material obtained on the basis of easily soluble rocks (limestone, marls, dolomites, etc.), [1] metallurgical and fuel slags (clay and silicate brick fragments). The diameter of the fiber is 5-15 μm , the length is 2-40 mm. [2]. The production of mineral cotton consists of two main processes: creating a solution of raw materials in vats (smelting furnaces); converting the solution into fibers. [3]. In Vagranka, raw materials are liquefied with solid fuel (coke) at a temperature of 1300-14000C. The solution is continuously released from a special hole at the bottom of the tank. [4].

There are several methods of turning the raw material solution into mineral fibers, but mainly two methods are more commonly used: blowing and centrifugation. [5]. In the blowing method, the solution flowing out of the special hole (let) of the vagranka is turned into fiber with the help of water vapor or a stream of compressed air and is scattered. [6]. In the centrifugal method, the flow of the solution falls through the hole of the wafer onto the centrifuge disc and is spun into fibers and dispersed. [7]. The resulting mineral fiber is collected on a continuously moving mesh in the chamber.

Main part: Depending on the average density, mineral cotton is divided into 75, 100, 125 and 150 brands. Mineral cotton is fireproof, low hygroscopicity and resistant to water environment, heat transfer coefficient is small ($\lambda=0,04-0,55 \text{ Wt/(m}^0\text{S)}$), resistant to biological environments. [8].

Mineral cotton is granulated (rounded) for ease of transportation, storage, and use. It is transported wrapped in special papers; it is used as a heat insulation material in wall cavities, inter-floor plate cavities, hot water mains and other constructions. [9].

Mineral cotton is a semi-finished product for the production of felt, fabrics, (beds) semi-bikr and bikr sheets, products with a corrugated structure, shells, segments and other products. [10].

Melting bottles are turned into cotton by means of special technologies. [11]. Glass slag (quartz sand, calcined soda and sodium sulfate) and broken glass are used as raw materials. The process of obtaining glass cotton is as follows:

melting the glass mass in bath furnaces at a temperature of 1300-14000C; preparation of glass fibers; molding of articles. [12].

Glass fibers are made from liquefied mass by stretching and blowing methods. In the rod method, glass fibers are stretched on rotating drums by heating glass rods until they melt. [13]. In the filler method, the liquefied glass mass is passed through the filler holes (not very large) and stretched on drums. In the blowing method, the fiberglass liquefied glass mass is dispersed under the influence of compressed air or steam. [14].

According to the field of use, textile and thermal insulation (staple) glass fibers are produced. The average diameter of textile fibers is 3-7 μm , and heat insulation fiber is 10-30 μm . [15].

Glass fibers differ from mineral fibers by their length, resistance to chemical environments, and high strength. [16]. The average density of glass wool is 75-125 kg/m^3 , thermal conductivity is 0.04-0.052 $\text{W}/(\text{m}\cdot\text{O}^\circ\text{S})$, heat resistance is 4500S. [17]. Sheets, strips, fittings, textile and non-woven products and other materials are made from fiberglass. [18]. Mats and strips are fixed by sewing glass fibers with glass thread. The average density of these products is up to 175 kg/m^3 , thermal conductivity is at most 0.04-0.05 $\text{W}/(\text{m}\cdot\text{O}^\circ\text{S})$. [19]. Mats are produced with a length of 1000-3000 mm, a width of 200-700 mm and a thickness of 10-50 mm. [20].

Plates are produced in 1000 mm length, 500-1500 mm width and 30-80 mm thickness. Products based on glass fiber are used in thermal insulation of construction structures, technological equipment, pipelines used at a temperature of 2000C, walls of industrial cold rooms, etc. [21].

Research results:

Gypsum plasterboard sheets are considered finishing material made of p-modified gypsum, reinforced with mineral fibers and high-quality multi-layer pressed on both sides with a thickness of not more than 0.6 mm, glued with a cardboard adhesive (dextrin, casein glue, liquid bottle). [22]. In addition to materials, substances that reduce their mass are also used in the production of

GKQ; gypsum-dihydrate - to adjust the time of setting, sulfated yeast and foaming compounds (casein, rosin, caustic soda). [23].

FREM NANOGYPSUM is an additive for plaster mixtures. It is a mechano-chemically activated mixture of additional inorganic salts and various polycarboxylates, supplemented with various hydrophobic radicalizing and crystallization regulating substances, changing the composition of the mixture. [24].

Additions in Belarus are prepared in accordance with TU 691423315.018 - 2016 from 05.26.2016. [25].

FREM NANOGYPS admixtures are used in the production of all types of concrete products and dry building mixes, they are used as plaster binders in production. [26]. These additives have a flexible plasticizing effect and maximum adaptability to gypsum-based mixtures, which are used in the production of flat floors, in the production of small architectural products from building plaster, etc. [27].

Features of FREM NANOGYPS gypsum mixture additive:

- increase the movement of gypsum concrete samples;
- adjustment of construction plaster dough for no more than 15 minutes;
- The use of FREM NANOGIPS additives allows reducing the moisture content of mixtures by 2 times and increases the durability of the product by 2-6 times;
- the compressive strength of gypsum-concrete samples should not be less than 8 MPa in 2 hours;
- the compressive strength of gypsum concrete samples should not be less than 16 MPa in 1 day;
- the compressive strength of gypsum concrete samples should not be less than 16 MPa in 7 days.

Addition of FREM NANOGYPSUM additive is produced in the amount of 0.3-2.0% dry matter of gypsum binder. [28].

For the production of small architectural products from building plaster, it is recommended to add binders in the amount of 0.6-2.0%. In the production of flat floors, it is recommended to add 0.3-0.5%.

The optimal consumption of the cover depends on the composition and is selected in the laboratory by conducting test groups. Water gypsum level is about 0.26-0.32. For the first time, to determine the optimal S/G, the additives must be mixed with gypsum, and then water is added for the consistency of a thick cream. [29-100].

Table 2.1

NAME OF INDICATORS	TECHNICAL CHARACTERISTICS
	FRAME NANOGYPSUM
Appearance	White powder
Total density, g/sm ³	0,650±0,020
Weight percentage of dry matter, %	98±0,5
The beginning of the hardening time of gypsum paste, minutes	15
Composition of SI ions in dry matter by weight	Not more than 0.1

If a water layer is removed on the surface of the solid layer, the S/G ratio should be reduced.

Conclusions:

-Selected raw material products are suitable for carrying out the research and achieving the intended purpose and they meet the regulatory requirements.

-The selected research methods comply with the standards, allow conducting deep physical and mechanical research and are the basis for achieving the set goal.

-Experimental studies are conducted in laboratory conditions with all the necessary equipment and facilities that meet the current requirements. All material

and technical resources are available for conducting research, the laboratory is provided with necessary regulatory documents.

List of references:

- [1]. Тошпулатов, С. У., & Улуғбек, А. А. (2021) //Землятрясения И Лечебные Учреждения. Ta'lim va rivojlanish tahlili onlayn ilmiy jurnali, 1(6), 52-55.
- [2]. Ogli, A. U. A., Ogli, X. A. M., & Mirzajonovich, Q. G. (2020). //Hazrati Imam Architecture The Complex Is A Holiday Of Our People. The American Journal of Engineering and Technology, 2(11), 46-49.
- [3]. Muslimovich, A. S., & Raufjonovna, T. D. (2020). //Fergana Valley Architectural School Decoration Methods. The American Journal of Applied sciences, 2(12), 21-25.
- [4]. Hasanboy o'g'li, A. A. (2022). //Construction of domes of architectural monuments improving solutions. Spectrum Journal of Innovation, Reforms and Development, 9, 236-239.
- [5]. Abdurakhmanov Ulugbek, Ibragimov Iqboljon. //Experiences in the protection of architectural monuments in Samarkand in the XIV century. Innovative Technologica: Methodical Research Journal. 2(11), 88-93.
- [6]. O'G, A.U.B.A., & Mirzorahimovich, M. M. (2022). Sanoat binosi orayopmalaridagi shikastlanish holati bo'yicha mustahkamlikka hisoblash va ularni kuchaytirish usullari. Talqin va tadqiqotlar ilmiy-uslubiy jurnali, 4(4), 87-95.
- [7]. Salimov, O. M. (2020). Abduraxmanov UA, Rare Devonbegi Madrasah in Samarkand (restoration and repair) Architecture. Construction. Design Nauchno-prakticheskiy journal. Tashkentskiy arxitekturno stroitelnye Institute, 2020/1, 120-124.
- [8]. Давлятов, М. А., Абдурахманов, У. А. У., & Матисаева, М. А. (2018). //Изучение влияния стекловолокна местного производства на прочностные характеристики гипсового вяжущего. Проблемы современной науки и образования, (11 (131)), 31-33.

- [9]. Abduraxmanov U, Rustamov X. // Arxitektura yodgorliklaridagi gumbazlarning konstruktiv shakllanishi//“Muhandislik kommunikatsiyalari qurilishida innovatsion va energiya tejamkor texnologiyalarni qo‘llashning ilmiy asoslari” xalqaro ilmiy-amaliy anjuman. 2023y 5-6 oktabr, 208b.
- [10]. Arabdjon o‘g A. U. et al. Asbest tola bilan mustahkamlangan gipsli pardozlash qoplamasini ishlab chiqish //Miasto Przyszłości. – 2024. – T. 49. – C. 622-626.
- [11]. Abduraxmanov U. B. A. o. g. l., Mirzaqosimov M. M. Sanoat binosi konstruksiyalarini shikastlanish holati bo ‘yicha tadqiq etish //Oriental renaissance: Innovative, educational, natural and social sciences. – 2022. – T. 2. – №. 5-2. – C. 999-1009.
- [12]. Nabiyev, M., Salimov, O., Khotamov, A., Akhmedov, T., Nasriddinov, K., Abdurakhmanov, U., ... & Abobakirov, A. (2024). Effect of external air temperature on buildings and structures and monuments. In E3S Web of Conferences (Vol. 474, p. 03011). EDP Sciences.
- [13]. Yuvmitov, A., Akhundjanov, D., Abdurakhmanov, U., Khasanova, N., & Egamberdiev, B. (2023). Study of stress-strain state of structures and assessment of seismic safety of Ismoil Somoni Mausoleum in Bukhara. In E3S Web of Conferences (Vol. 452, p. 06007). EDP Sciences.
- [14]. Ibragimov, I. I., & Abduraxmanov, A. U. (2021). Measures to eliminate landscape problems of the residential center. Innovative technologica methodical research journal. ISSN, 2776-0987.
15. M.Mamadaliyev “ANALYTICAL CALCULATION OF BENDING ELEMENTS WITH BASALT FIBER REINFORCEMENT AND GLASS COMPOSITE ROD UNDER SHORT-TERM DYNAMIC LOADING” (Spectrum Journal of Innovation, Reforms and Development Volume 21, Nov., 2023) <https://sjird.journalspark.org/index.php/sjird/article/view/855/821>
16. Dusmatov, A., Nabiyev, M., Baxromov, M., & Azamjonov, A. (2023). Influence of two-layer axisymmetric cylindrical shells on their physical and mechanical characteristics. In E3S Web of Conferences (Vol. 452, p. 06010). EDP Sciences.

17. Azamjonov Asadbek Tursunali o'g'li,. "COMPUTER PROGRAMS FOR DESIGNING BUILDING STRUCTURES." Spectrum Journal of Innovation, Reforms and Development 21 (2023): 178-184.
18. Abdukarimov, B. A., Tillaboyeva F. Sh, and A. T. Azamjonov. "CALCULATION OF HYDRAULIC PROCESSES IN SOLAR WATER HEATER COLLECTOR HEAT PIPES." Экономика и социум 4-1 (107) (2023): 4-10.
19. Onorboyev Shavkat, and Azamjonov Asadbek Tursunali o'g'li. "IMPACT OF THE CONSTRUCTION INDUSTRY ON ECOLOGY." Miasto Przyszłości 44 (2024): 394-399.
20. Сотволдиев, Ф., & Азамжонов, А. (2023). Анализ солнечных водонагревателей. Тенденции и перспективы развития городов, 1(1), 320-323.
21. Davlyatov , S. M., & Solijonov , F. S. o'g'li. (2023). O'ZBEKISTONDA YETISHTIRILAYOTGAN MAHALLIY YOG'UCH MATERIALLARINING XUSUSIYATLARI. GOLDEN BRAIN, 1(1), 263–265. Retrieved from <https://researchedu.org/index.php/goldenbrain/article/view/4568>
22. Абобакирова, З. А., Эркабоев, А. А. У., & Солижонов, Ф. С. У. (2022). ИССЛЕДОВАНИЕ СОСТОЯНИЯ ДЕФОРМАЦИИ ПРИ РАСТЯЖЕНИИ С ИСПОЛЬЗОВАНИЕМ СТЕКЛОВОЛОКОННОЙ АРМАТУРЫ В БАЛКАХ. Talqin va tadqiqotlar ilmiy-uslubiy jurnali, 4(4), 47-55.
23. Asrorovna, A. Z., Abdug'ofurovich, U. S., & Sodiqjon o'g'li, S. F. (2022). ISSUES OF IMPROVING THE ECONOMY OF BUILDING MATERIAL-WOOD PRODUCTION. Spectrum Journal of Innovation, Reforms and Development, 8, 336-340.
24. Abdug'Ofurovich, U. S., O'G'Li, S. F. S., & O'G'Li, E. A. A. (2022). KOMPOZIT ARMATURALI EGILUVCHI BETON ELEMENTLARNING KUCHLANIB-DEFORMATSIYALANGANLIK HOLATINI EKSPERIMENTAL TADQIQ ETISH. Talqin va tadqiqotlar ilmiy-uslubiy jurnali, 4(4), 41-46.

25. Abdukarimov B. A., Sh T. F., Azamjonov A. T. CALCULATION OF HYDRAULIC PROCESSES IN SOLAR WATER HEATER COLLECTOR HEAT PIPES //Экономика и социум. – 2023. – №. 4-1 (107). – С. 4-10.
26. Azamjonov Asadbek Tursunali o‘g‘li, Use of Solar Battery Batteries Research Parks Publishing LLC (2023) С. 76-83.
27. Obidovich A. T. Architecture And Urban Planning In Uzbekistan //Texas Journal of Engineering and Technology. – 2022. – Т. 9. – С. 62-64.
28. Muxammadovich A. A. et al. IMPROVING SUPPORT FOR THE PROCESS OF THE THERMAL CONVECTION PROCESS BY INSTALLING REFLECTIVE PANELS IN EXISTING RADIATORS IN PLACES //CENTRAL ASIAN JOURNAL OF MATHEMATICAL THEORY AND COMPUTER SCIENCES. – 2022. – Т. 3. – №. 12. – С. 179-183.
29. Obidovich A. T. et al. ROMAN STYLE QUALITY CHANGES IN EUROPEAN ARCHITECTURE IN X-XII CENTURIES //Spectrum Journal of Innovation, Reforms and Development. – 2022. – Т. 10. – С. 121-126.
30. BEAMS, D. I. B. R. C. Spectrum Journal of Innovation, Reforms and Development Volume 22, December, 2023 ISSN (E): 2751-1731 Website: www.sjird. journalspark. org DEVELOPMENT OF COMPOSITE REINFORCEMENTS AND CONCRETE DEFORMATIONS IN BASALT REINFORCED CONCRETE BEAMS.
31. Солижонов, Ф., & Курбонов, К. (2023). Расчет бетонных конструкций с композитной арматурой методом предельных состояний. Тенденции и перспективы развития городов, 1(1), 481-485.
32. Sodiqjon o‘g‘li, S. F. (2023). BAZALT KOMPOZIT ARMATURALI BETON TO ‘SINLARNI NORMAL KESIMLAR BO ‘YICHA MUSTAHKAMLIGINI TADQIQ ETISH.: BAZALT KOMPOZIT ARMATURALI BETON TO ‘SINLARNI NORMAL KESIMLAR BO ‘YICHA MUSTAHKAMLIGINI TADQIQ ETISH.
33. Akramov Kh.A, Davlyatov Sh.M, Kimsanov B.I, Nazirov A.S “APPLICATION AND CLASSIFICATION OF COMPOSITE

REINFORCEMENT IN CONSTRUCTION” Spectrum Journal of Innovation, Reforms and Development Volume 09, Nov., 2022 Page 95-100

34. Akramov Kh.A, Davlyatov Sh.M, Kimsanov B.I, Nazirov A.S “CONSTRUCTION FEATURES OF PERFORMING EXTERNAL REINFORCEMENT FROM COMPOSITE MATERIALS” Spectrum Journal of Innovation, Reforms and Development Volume 09, Nov., 2022 Page 110-115

35. Akramov Kh.A, Davlyatov Sh.M, Kimsanov B.I, Nazirov A.S “THE ROLE OF ROD STAYED-SHELL SYSTEMS IN STUDIES OF INNOVATIVE STRUCTURES IN CONSTRUCTION” Spectrum Journal of Innovation, Reforms and Development Volume 09, Nov., 2022 Page 116-123

36. Ravshanbek o‘g‘li, R. R. (2023). BAZALT FIBRALARI ORQALI BETON TARKIBNI OPTIMALLASHTIRISH. SO ‘NGI ILMIY TADQIQOTLAR NAZARIYASI, 6(7), 37-44.

37. Ravshanbek o‘g‘li, R. R., & Zuxriddinovna, M. S. (2023). TO ‘RT QAVATLI BINONI SEYSMIK KUCHLAR TA’SIRIGA LIRA 9.6 DASTUR YORDAMIDA HISOBLASH.: TO ‘RT QAVATLI BINONI SEYSMIK KUCHLAR TA’SIRIGA LIRA 9.6 DASTUR YORDAMIDA HISOBLASH.

38. Nabiyev, M., Salimov, O., Khotamov, A., Akhmedov, T., Nasriddinov, K., Abdurakhmanov, U., ... & Abobakirov, A. (2024). Effect of external air temperature on buildings and structures and monuments. In E3S Web of Conferences (Vol. 474, p. 03011). EDP Sciences.

39. Umarov, S. A. O. (2023). UCH QAVATLI BINONI SEYSMIK KUCHLAR TA’SIRIGA LIRA 9.6 DASTUR YORDAMIDA HISOBLASH. GOLDEN BRAIN, 1(1), 224-230.

40. Ashurov, M., & Ravshanbek o‘g‘li, R. R. (2023). RESEARCH OF PHYSICAL AND MECHANICAL PROPERTIES OF BASALT FIBER CONCRETE. European Journal of Interdisciplinary Research and Development, 17, 12-18.

41. Numanovich, A. I., & Ravshanbek o‘g‘li, R. R. (2022). BASALT FIBER CONCRETE PROPERTIES AND APPLICATIONS. Spectrum Journal of Innovation, Reforms and Development, 9, 188-195.

42. Abobakirova, Z., Umarov, S., & Raximov, R. (2023). Enclosing structures of a porous structure with polymeric reagents. In E3S Web of Conferences (Vol. 452, p. 06027). EDP Sciences.
43. Dusmatov, A., Nabiyev, M., Baxromov, M., & Azamjonov, A. (2023). Influence of two-layer axisymmetric cylindrical shells on their physical and mechanical characteristics. In E3S Web of Conferences (Vol. 452, p. 06010). EDP Sciences.
44. . Бахромов, М. М. (2020). Исследование сил негативного трения оттаивающих грунтов в полевых условиях. Молодой ученый, (38), 24-34.
45. 2. Бахромов, М. М., Отакулов, Б. А., & Рахимов, Э. Х. У. (2019). Определение сил негативного трения при оттаивании околоствайного грунта. European science, (1 (43)), 22-25.
46. 3. Бахромов, М. М., & Рахманов, У. Ж. (2020). Проблемы строительства на просадочных лессовых и слабых грунтах и их решение. Интернаука, (37-1), 5-7.
47. Бахромов, М., & Хасанов, Д. (2022). ТЎКМА ГРУНТЛАРДА ЗАМИН ВА ПОЙДЕВОРЛАР ҚУРИЛИШИ. Евразийский журнал академических исследований, 2(6), 353-360.
48. Бахромов, М. М., & Рахмонов, У. Ж. (2019). Дефекты при проектировании и строительстве оснований и фундаментов. Проблемы современной науки и образования, (3 (136)), 76-79.
49. Бахромов, М. М., & Рахмонов, У. Ж. (2019). Закономерности воздействия сил негативного трения по боковой поверхности сваи. Проблемы современной науки и образования, (12-2 (145)), 62-65.
50. Бахромов, М. М., Рахмонов, У. Ж., & Отабоев, А. Б. У. (2019). Воздействие сил негативного трения на сваю при просадке грунтов. Проблемы современной науки и образования, (12-2 (145)), 24-35.
51. Бахромов, М. М. (2022). Механические характеристики грунта и прогноз закономерности воздействия сил негативного трения по боковой поверхности сваи. PEDAGOGS journali, 10(3), 162-167.

52. Mamatkhanovich, B. M., & Malikov, S. S. (2022). Strength And Deformability Of Metal GlassPlastic Shells Taking Into Account Shear Rigidity. *The Peerian Journal*, 12, 79-86.
53. Dusmatov, A., Bakhranov, M., & Malikov, S. (2023). Interlaminar shifts of two-layer aggressive-resistant combined plates based on metal and fiberglass. In *E3S Web of Conferences* (Vol. 389, p. 01030). EDP Sciences.
54. Mamatkhanovich, B. M. (2022). CONSTRUCTION OF FOUNDATIONS IN GRUNTS WITH VARIABLE STRUCTURES. *Spectrum Journal of Innovation, Reforms and Development*, 10, 115-120.
55. Mamathanovich, B. M. (2023). CONSTRUCTION OF FOUNDATIONS ON DRY SOILS. *Spectrum Journal of Innovation, Reforms and Development*, 21, 294-297.
56. Mamatkhanovich, B. M. (2022). Construction of Grounds and Foundations on Bulk Soil. *Miasto Przyszłości*, 201-205.
57. Bakhromov, M. M., Rakmanov, U. J., & Otaboev, A. B. U. (2021). Problems of construction on insulated forest and weak soils and their solution. *Asian Journal of Multidimensional Research*, 10(10), 604-607.
58. Dusmatov, A., Nabiyev, M., Baxromov, M., & Azamjonov, A. (2023). Influence of two-layer axisymmetric cylindrical shells on their physical and mechanical characteristics. In *E3S Web of Conferences* (Vol. 452, p. 06010). EDP Sciences.
59. Дилшоджон оглы, З. Н. (2023). ПРИМЕНЕНИЕ КОМПОЗИТНЫХ МАТЕРИАЛОВ ДЛЯ УСИЛЕНИЯ ЖЕЛЕЗОБЕТОННЫХ КОНСТРУКЦИЙ. *Журнал «Спектр» об инновациях, реформах и развитии*, 22, 148-154.
60. Набиев, М. Н., Насриддинов, Х. Ш., & Кодиров, Г. М. (2021). Влияние Водорастворимых Солей На Эксплуатационные Свойства Наружные Стен. *Ta'lim va rivojlanish tahlili onlayn ilmiy jurnali*, 1(6), 44-47.
61. Shavkatovich, N. K. (2022). SYSTEMS OF ARTIFICIAL REGULATION OF THE AIR ENVIRONMENT OF APARTMENTS AND HOUSES. *Spectrum Journal of Innovation, Reforms and Development*, 9, 169-174.

62. Nabiyeu, M., Salimov, O., Khotamov, A., Akhmedov, T., Nasriddinov, K., Abdurakhmanov, U., ... & Abobakirov, A. (2024). Effect of external air temperature on buildings and structures and monuments. In E3S Web of Conferences (Vol. 474, p. 03011). EDP Sciences.
63. Khasan, N. (2024). Calculation of Cast Reinforced Concrete Frames of Multi-Story Buildings Taking into Account Dry-Hot Climate Conditions. *Miasto Przyszłości*, 49, 1215-1219.
64. Shavkatovich, N. X. (2022). ESTABLISHMENT OF TEMPERATURE AND HUMIDITY IN APARTMENTS AND HOUSES WITH THE HELP OF ARTIFICIAL PHASE ARTIFICIAL REGULATORY SYSTEMS. *Spectrum Journal of Innovation, Reforms and Development*, 10, 107-114.
65. Қодиров, F. M., & Мирзабабаева, С. М. (2022). Бетон ва темирбетон конструкциялар бузилишининг турлари ва уларнинг олдини олиш. *INTERNATIONAL CONFERENCE ON LEARNING AND TEACHING*, 1(6), 91-95.
66. Mirzajonovich, Q. G., & ToychiboyQizi, J. X. (2021). The determination of condensation precipitation on the inner surfaces of the limitation during the action of aerosols. *Asian Journal of Multidimensional Research*, 10(10), 132-137.
67. Sagdiev, K. S., Yuvmitov, A. S., & Qodirov, G. M. (2020). Assessment Of Seismic Resistance Of Existing Preschool Educational Institutions And Recommendations For Their Provision Seismic Safety. *The American Journal of Applied sciences*, 2(12), 90-99.
68. Mirzajonovich, Q. G., & Qizi, J. X. T. Y. (2021). Influence Of Hydrophobizing Additives On Thermal Properties Of Ceramzito Concrete In Agressive Environment. *The American Journal of Engineering and Technology*, 3(12), 26-33.
69. Mirzajonovich, Q. G., & Qizi, M. Z. A. (2021). Determination Of Condensation On The Inner Surface Of The Walls Of Canoe Buildings Under The Influence Of Aerosols. *The American Journal of Engineering and Technology*, 3(12), 14-19.

70. Қодиров, Ф. М., & Мирзабабаева, С. М. (2022). Бетон ва темирбетон конструкциялар бузилишининг турлари ва уларнинг олдини олиш. INTERNATIONAL CONFERENCE ON LEARNING AND TEACHING, 1(6), 91-95.
71. Ogli, A. U. A., Ogli, X. A. M., & Mirzajonovich, Q. G. (2020). Hazrati Imam Architecture The Complex Is A Holiday Of Our People. The American Journal of Engineering and Technology, 2(11), 46-49.
72. Gayradjonovich, G. S., Mirzajonovich, Q. G., Tursunalievich, S. B., & Ogli, X. A. M. (2021). Corrosion State Of Reinforced Concrete Structures. The American Journal of Engineering and Technology, 3(06), 88-91.
73. Momin, N., Mirzajonovich, Q. G., Tursunalievich, S. B., & Gayradjonovich, G. S. (2021). Reception of improving the microclimate in the houses of the fergana valley. The American Journal of Engineering and Technology, 3(06), 92-96.
74. Ogli, X. A. M., Ogli, A. U. A., & Mirzajonovich, Q. G. (2020). Ways Of Implementation Of Environmental Emergency Situations In Engineering Preparation Works In Cities. The American Journal of Engineering and Technology, 2(11), 108-112.
75. Мирзабабаева, С. М., & Қодиров, Ф. М. (2022). Биноларни ўрвчи конструкцияларини тузлар таъсиридаги сорбцион хусусиятини яхшилаш. INTERNATIONAL CONFERENCE ON LEARNING AND TEACHING, 1(6), 86-90.
76. Mirzajonovich, Q. G., Ogli, A. U. A., & Ogli, X. AM (2020). Influence Of Hydro Phobizing Additives On Thermophysical Properties And Long-Term Life Of Keramzit0betona In An Aggressive Medium. The American Journal of Engineering and Technology, 2(11), 101-107.
77. Кодиров, Г. М., Набиев, М. Н., & Умаров, Ш. А. (2021). Микроклимат В Помещениях Общественных Зданиях. TA'LIM VA RIVOJLANISH TAHLILI ONLAYN ILMIY JURNALI, 1(6), 36-39.
78. BINO TOM QISMIGA VERTALYOT QO'NISHI NATIJASIDA BINONING KONSTRUKSIYALARIDAGI O'ZGARISHLARI" 2023/10/5,

"SCIENTIFIC BASIS OF APPLICATION OF INNOVATION AND ENERGY-SAVING TECHNOLOGIES IN THE CONSTRUCTION OF ENGINEERING COMMUNICATIONS" Authors: D.G'. G'ulomov, A.R. G'ulomov

79. Xasanjon, X. R. (2024). Review and Analysis of the Operation of Monolithic Biaxial Ceilings With Void Generators in Dry and Hot Climates. *Miasto Przyszłości*, 49, 896-901.

80. Abduxodi o'g'li, A. A. (2024). TEMIRBETON KARKAS TIZIMLI XIZMAT KO 'RSATISH BINOSINI SEYSMIK KUCHLAR TA'SIRIGA HISOBLASH VA ULARNI SOLISHTIRMA TAHLILI. *Miasto Przyszłości*, 49, 627-630.

81. Davlyatov, S., Jakhongirov, I., Abdurakhmonov, A., Solijonov, F., & Abobakirova, Z. (2024, November). Determination of the stress-strain state of models of steel cylindrical tanks using the "ANSYS" program. In *E3S Web of Conferences* (Vol. 508, p. 04002). EDP Sciences.

82. Abdukholiq, A., & Golibjon, A. (2023). CALCULATION OF REINFORCED CONCRETE SLAB STRUCTURE UNPROTECTED FROM SUNLIGHT IN NATURAL CLIMATE IN LIRA PK PROGRAM. *Spectrum Journal of Innovation, Reforms and Development*, 21, 245-250.

83. Goncharova, N., Abobakirova, Z., Davlyatov, S., Umarov, S., & Mirzababayeva, S. (2023, September). Capillary permeability of concrete in aggressive dry hot climate. In *E3S Web of Conferences* (Vol. 452, p. 06021).

84. Y Karimov, I Musaev, S Mirzababayeva, Z Abobakirova, S Umarov, Land use and land cover change dynamics of Uzbekistan: a review, *E3S Web of Conferences* 421, 03007

85. Akramov, X., Davlyatov, S., Umarov, S., & Abobakirova, Z. (2023). Method of experimental research of concrete beams with fiberglass reinforcement for bending. In *E3S Web of Conferences* (Vol. 365, p. 02021). EDP Sciences.

86. Mirzababayeva, S., Abobakirova, Z., Umarov, S. Crack resistance of bent concrete structures with fiberglass reinforcement, *E3S Web of Conferences*, 2023, 452, 06023.

87. Strength and uniformity of composite reinforced columns, Akramov, K., Davlyatov, S., Kimsanov, B. E3S Web of Conferences, 2023, 452, 06012.
88. Comparison of current and expired norms for the development of methods for checking and monitoring the seismic resistance of buildings. Shodiljon Umarov, Khusnitdin Akramov, Zebuniso Abobakirova and Saxiba Mirzababayeva, E3S Web Conf., 474 (2024) 01020, DOI: <https://doi.org/10.1051/e3sconf/202447401020>.
89. Analytical calculation of bending elements with basalt fiber and glass composite rod reinforcement under short-term dynamic loading, Akramov, K., Davlyatov, S., Nazirov, A., E3S Web of Conferences, 2023, 452, 06006.
90. Abdulkhaev, Z., Madraximov, M., Abdujalilova, S., Mirzababayeva, S., Otakulov, B., Sattorov, A., & Umirzakov, Z. (2023, September). Flow trajectory analysis and velocity coefficients for fluid dynamics in tubes and holes. In E3S Web of Conferences (Vol. 452, p. 02010).
91. Goncharova N. I., Abobakirova Z. A., Mukhamedzanov A. R. Capillary permeability of concrete in salt media in dry hot climate //AIP Conference Proceedings. – AIP Publishing LLC, 2020. – T. 2281. – №. 1. – C. 020028.
92. Comparability of estimates of the impact of gunpowder and gas-dynamic explosions on the stability of buildings and structures, Tojiev, R., Yunusaliev, E., Abdullaev, I., E3S Web of Conferences, 2021, 264, 02044
93. The Significant Technical Mantle of AI in the Field of Secular Engineering: An Innovative Design Akhmedov, J., Jurayev, U., Kosimova, S., Tursunov, Q., Kosimov, L. 2024 4th International Conference on Advance Computing and Innovative Technologies in Engineering, ICACITE 2024, 2024, страницы 601–606.
94. Aerodynamic study of the characteristics of the nest one skyscraper under wind load Akhmedov, J., Madaliev, M., Yunusova, M., Kurbonova, N., Fayziyev, A. E3S Web of Conferences, 2023, 452, 06018.
95. Methodology for checking the seismic strength of buildings based on existing norms Abobakirova, Z., Umarov, S., Davlyatov, S., Nasriddinov, H., Mahmudov, A. BIO Web of Conferences, 2024, 105, 05014.

96. Improving the thermal properties of lightweight concrete exterior walls
Goncharova, N., Ababakirova, Z., Davlyatov, S., Umarov, S., Mirzababayeva, S.
E3S Web of Conferences, 2024, 508, 05002.
97. Operation of reinforced concrete beams along an inclined section under
conditions of one-sided heating, Umarov, S., Mirzababayeva, S., Abobakirova,
Z., Goncharova, N., Davlyatov, S. E3S Web of Conferences, 2024, 508,
05001.MM
98. Mirzaakbarovna, M. S. (2023). INTEGRATION IS THE BASIS OF
QUALIFIED PERSONNEL TRAINING. Journal of Innovation in Education and
Social Research, 1(4), 233-239.
99. Mirzababaeva, S. (2023). OPERATIONAL RELIABILITY OF
RECONSTRUCTED BUILDINGS-STRUCTURES. Spectrum Journal of
Innovation, Reforms and Development, 21, 235-239.
100. Mirzababaeva, S. M. (2021). The influence of elevated and high
temperatures on the deformability of concrete. Anal. Educ. Dev, 1(6), 40-43.