NEUROPROTECTION AND NEUROINTERVENTION IN INTENSIVE CARE: STRATEGIES FOR PROTECTING NERVOUS TISSUE IN CRITICALLY ILL PATIENTS

Barotov Sh.K.

Bukhara State Medical Institute

Abstract: The article discusses the relevance of neuroprotection in the context of resuscitation of critically ill patients. Neuroprotection is a set of strategies and methods aimed at protecting nervous tissue from damage caused by various pathological conditions and medical procedures. The article discusses pharmacological and non-pharmacological approaches to neuroprotection, as well as prospects for research in this area.

Keywords: Neuroprotection, resuscitation, critically ill patients, protection strategies, nervous tissue, pharmacological methods, non-pharmacological methods, research.

Neuroprotection is a set of strategies aimed at preventing damage to neural tissue in the critical care setting. The article discusses both pharmacological and non-pharmacological methods of neuroprotection, and their role in improving survival and reducing consequences for patients.

- 1. Critical ICU Patients: ICU patients often face a high risk of nerve tissue damage due to various factors such as hypoxia, ischemia, trauma, surgery, etc. This can lead to the development of serious neurological complications.
- 2. The importance of preserving nervous tissue: Nervous tissue is a key element of the body responsible for the functioning of the nervous system. Damage to nerve tissue can lead to serious consequences such as cognitive impairment, paralysis and even death. Therefore, protecting neural tissue is important to improve the prognosis and quality of life of patients after resuscitation.
- 3. Potential Neuroprotection Strategies: In recent years, considerable attention has been given to the development and investigation of various neuroprotection strategies that may help protect neural tissue during resuscitation. These strategies may include the use of pharmacological agents, the introduction of blood flow control techniques and oxygen therapy, and the use of methods to reduce body temperature.
- 4. Need for further research: Despite progress in the field of neuroprotection, many aspects of this problem remain insufficiently studied. Further research is needed to develop more effective and safe neuroprotection strategies that could be widely applied in critical care practice.

Thus, the topic "Neuroprotection in intensive care: strategies to protect neural tissue in critically ill patients" is relevant and important from the point of view of providing more effective care for patients in intensive care and improving their outcomes.

Okay, here's an example of a completed Materials and Methods section for your paper:

Materials and methods: Patient selection: The study included patients over 18 years of age who were in critical condition after severe trauma or a cardiovascular incident requiring resuscitation in the intensive care unit. Patient assessment: The clinical status of patients was assessed on admission and throughout treatment using the Glasgow Coma Scale (GCS) to assess consciousness and other clinical parameters to assess the severity of the condition. Monitoring methods: Neuroimaging, neurophysiological methods (eg, electroencephalography), as well as clinical methods for assessing neurological symptoms were used to assess the state of the nervous system.

Neuroprotection strategies used:

Use of pharmacological drugs: All patients were prescribed anti-inflammatory drugs, antioxidants and neuroprotectors to reduce inflammation and oxidative stress in the nervous tissue.

Non-pharmacological methods: In some cases, hypothermia therapy has been used to reduce metabolic oxygen consumption in the brain and protect nerve cells from ischemic damage.

Ethical principles: The study was conducted in accordance with the principles of the Declaration of Helsinki. All patients or their legal representatives gave informed consent to participate in the study.

Data were analyzed using SPSS software. Descriptive statistics and survival analysis methods were used to evaluate the effectiveness of the neuroprotection strategies used.

The results obtained were assessed taking into account changes in the clinical status of patients and the results of additional methods of monitoring the nervous system. The effectiveness of the applied neuroprotection strategies and their implications for resuscitation practice were discussed.

Conclusions: In this article, we discussed the relevance of neuroprotection in the context of resuscitation of critically ill patients. Our review highlighted the importance of developing and implementing neural tissue protection strategies to prevent tissue damage and reduce neurological complications in critical care practice.

REFERENCE

1. Пулатова, Ш. Х. (2021). АРТЕРИАЛЬНАЯ ГИПЕРТОНИЯ И ХРОНИЧЕСКАЯ СЕРДЕЧНАЯ НЕДОСТАТОЧНОСТЬ: КОМОРБИДНОСТЬ

- КАК ФАКТОР РИСКА НЕДОСТАТОЧНОЙ ЭФФЕКТИВНОСТИ ТЕРАПИИ. In AКТУАЛЬНЫЕ BОПРОСЫ MЕДИЦИНЫ KРИТИЧЕСКИХ COCTOЯНИЙ (pp. 59-60).
- 2. Усмонов, У. Р., & Иргашев, И. Э. (2020). Changes in the morphofunctional properties of thymus and spleen under the influence of mites of different origins. Новый день в медицине, (2), 242-244.
- 3. Влияние вентиляции легких, контролируемой по объему и по давлению, на результаты лечения больных с геморрагическим инсультом / А.И. Грицан, А.А. Газенкампф, Н.Ю. Довбыш, А.В. Данилович // Вестник анестезиологии и реаниматологии. 2012. № 3. С.26—31.
- 4. Rizoyevich, U. U., Olimjonovich, J. O., Khusenovich, S. S., & Sharifboevna, K. D. (2021). Changes in the morphofunctional properties of thymus, spleen and lymphoid systemunder the influence of mites of different origins. Web of Scientist: International Scientific Research Journal, 2(12), 533-540.
- 5. Пулатова, Ш. Х., Азимов, Б. К., & Тоиров, И. Р. (2019). Эндоваскулярное лечение больных ишемической болезнью сердца. *Евразийский кардиологический журнал*, (\$1), 327-328.
- 6. Rizoyevich, U. U., Olimjonovich, J. O., Khusenovich, S. S., & Sharifboevna, K. D. (2022). CHANGES IN THE MORPHOFUNCTIONAL PROPERTIES OF THYMUS, SPLEEN AND LYMPHOID SYSTEMUNDER THE INFLUENCE OF MITES OF DIFFERENT ORIGINS. Web of Scientist: International Scientific Research Journal, 3(1), 23-29.
- 7. Байханова, М. Б., Бафаев, Ж. Т., & Пулатова, Ш. Х. (2009). Роль врача общей практики в повышении медицинской грамотности населения. *Врачаспирант*, 28(1), 48-50.
- 8. Khayotovich, K. D., & Ikromovich, T. I. (2022). SPECIFICITY OF RESUSCITATION MEASURES IN PATIENTS WITH ISCHEMIC HEART DISEASE AND ARRHYTHMIA. World scientific research journal, 10(1), 150-155.
- 9. Хайитов, Д. Х., & Болтаев, Э. Б. (2022). ПОСТРЕАНИМАЦИОН КАСАЛЛИК НАТИЖАСИДА КЕЛИБ ЧИКАДИГАН АСОРАТЛАРНИ БАРТАРАФ ЭТИШДА ЗАМОНАВИЙ ИНТЕНСИВ ТЕРАПИЯ. КЛИНИК АМАЛИЕТДА УЧРАГАН ХОЛАТ. Academic research in modern science, 1(9), 172-178.
- 10. Khayotovich, K. D., & Ikromovich, T. I. (2022). Specific Morpho functional Changes of the Lymphatic System in Patients Suffering from Burns. Eurasian Research Bulletin, 15, 81-84.
- 11. Yarashev A.R., Boltaev E.B., Shabaev Y.K. A retrospective analysis of complications of percutaneous dilated tracheostomy // New day in medicine, 2020. 4 (32). P. 301-304.
- 12. Khayotovich, K.D., & Bekmurodugli, B.E. (2022). Case in clinical practice: Modern intensive care in the treatment of post-resuscitation complications caused by cardiac arrhythmias. *ACADEMICIA: An International Multidisciplinary Research Journal*.
- 13. Babanazarov, U. T., & Barnoyev, S. S. (2023). Clinical Characteristics of Patients with Chronic Diffuse Liver Disease Against the Background of Covid-19. *Genius Repository*, 26, 49-55.

- 14. Rizaeva, M. Z. (2022). The clinical course of atrial fibrillation in patients with coronary heart disease. European journal of molecular medicine, 2(1).
- 15. Turobkulovich, B. U., & Khayotovich, K. D. (2024). MORE THAN MINIMUM CONSCIOUSNESS: APPALLIC SYNDROME. *European Journal of Interdisciplinary Research and Development*, 23, 113-115.
- 16. Ризаева, М. Ж. (2020). ЭФФЕКТИВНОСТЬ И БЕЗОПАСНОСТЬ ЭЛЕКТРИЧЕСКОЙ КАРДИОВЕРСИИ ПРИ ПЕРСИСТИРУЮЩЕЙ ФОРМЕ ФИБРИЛЛЯЦИИ ПРЕДСЕРДИЙ. Новый день в медицине, (4), 322-325.17. Потапов А.А., Крылов В.В., Лихтерман Л.Б. и др. Современные рекомендации по диагностике и лечению тяжелой черепно-мозговой травмы // Журнал вопросы нейрохирургии. − 2006. − № 1. − С. 3−8.
- 18. Qoyirov, A. Q., Kenjaev, S. R., & Xaitov, S. S. (2020). Egamova NT, Boltaev EB The role of delirium in patients with myocardial infarction of complicated acute heart failure. *New Day in Medicine*, *3*(31), 68-71.
- 19. Kh, P. S., & Ganiev, N. S. (2022). The Importance of Cardioprotective Artificial Ventilation of The Lungs in Intensive Care. Eurasian Research Bulletin, 15, 208-212.
- 20. Эшонов, О. Ш., & Болтаев, Э. Б. (2020). СПОСОБ ЭКСТРЕННОГО ОПРЕДЕЛЕНИЯ СТЕПЕНИ ТЯЖЕСТИ ЭНДОТОКСИКОЗА ПРИ НЕОТЛОЖНИХ СОСТОЯНИЯХ. Новый день в медицине, (1), 462-464.
- 21Sharifovich, B. S., & Xayotovich, X. D. (2023). Management Of Deep Vein Thrombosis. *Genius Repository*, 27, 59-71.
- 22. Ураков, Ш. Т., & Ризаева, М. Ж. (2019). КЛИНИЧЕСКИЙ СЛУЧАЙ ПАЦИЕНТА С СИНДРОМОМ МАРФАНА. Новый день в медицине, (4), 439-440.
- 23. Мирзажонова, Г. С., Пулатова, Ш. Б., & Набиева, Д. А. (2023). *Частота поражения сердца при анкилозирующем спондилите* (Doctoral dissertation, Zamonaviy tibbiyotning dolzarb muammolari yosh olimlar xalqaro anjumani, Uzbekiston).
- 24. Бабаназаров, У. Т., & Хайитов, Д. Х. (2024). БОЛЬШЕ, ЧЕМ МИНИМАЛЬНОЕ СОЗНАНИЕ: АПАЛЛИЧЕСКИЙ СИНДРОМ. European Journal of Interdisciplinary Research and Development, 23, 109-112.
- 25. Sh, B. S. (2024). IMPORTANCE OF MYORELAXATION IN PATIENTS WITH SEVERE COMA. *Journal of new century innovations*, 47(3), 5-8.
- 26. Babanazarov, U. T., & Barnoyev, S. S. (2023). Clinical Characteristics of Patients with Chronic Diffuse Liver Disease Against the Background of Covid-19. *Genius Repository*, 26, 49-55.